ENDLESS

The
CRAFT
OF
SUPERFICIES

600X1200 MM
GSVT

ENDLESS WORLD
ENDLESS PATTERN
ENDLESS NATURE
ENDLESS
ENDLESS SOUL
ENDLESS GALAXY
ENDLESS ART
ENDLESS

Strong shade variation, sharp patterns anda high tactile vocation transmit a vibrant and modern atmosphere to interiors.

The Endless collection draws its inspiration from the extraordinary expressive power of concrete and stands out for a wide range of sizes that increase designs' potential.

ENDLESS

APPLICATION

HOME
HOTEL
RESTAURANT
CLOTHING SHOP
BUILDING
OLYMPIC
OFFICE
SCHOOL
HOSPITAL
FACTORY

FEATURES

RECTIFIED
MODULAR
ABRASION
FROST RESISTANCE
CHEMICAL RESISTANT
FIRE RESISTANT
ANTI BACTERIAL
IMPACT RESISTANT
WATER RESISTANT
RESISTANT TO BENDING

ENDLESS



ARMENIA ROCK

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

ARMENIA ROCK

ARMENIA ROCK

ARMENIA ROCK



ENDLESS







BALKANIA GREY

RANDOM FACE : **4**

ENDLESS









SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

BALKANIA GREY

BALKANIA GREY

BALKANIA GREY



ENDLESS





CRYSTALLO WHITE

RANDOM FACE : **6**

ENDLESS









SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

CRYSTALLO WHITE

CRYSTALLO WHITE

CRYSTALLO WHITE



ENDLESS

ESTILO WHITE

RANDOM FACE : **4**

ENDLESS

SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

ESTILO WHITE

ESTILO WHITE

ESTILO WHITE

ENDLESS





ICEBERG WHITE

RANDOM FACE : **4**

ENDLESS









SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

ICEBERG WHITE

ICEBERG WHITE

ICEBERG WHITE

ENDLESS



MAXIMUS GREY

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

MAXIMUS GREY

MAXIMUS GREY

MAXIMUS GREY



ENDLESS





NORDIC BLUE

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

NORDIC BLUE

NORDIC BLUE

NORDIC BLUE



ENDLESS





NORDIC OLIVE

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

NORDIC OLIVE

NORDIC OLIVE

NORDIC OLIVE



ENDLESS



RITZY NATURAL

RANDOM FACE : **4**

ENDLESS

SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

RITZY NATURAL

RITZY NATURAL

RITZY NATURAL

ENDLESS

SARRANCOLIN GREY

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SARRANCOLIN GREY

SARRANCOLIN GREY

SARRANCOLIN GREY



ENDLESS





SATUARIO MIRACLE

RANDOM FACE : **4**

ENDLESS

SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SATUARIO MIRACLE

SATUARIO MIRACLEO

SATUARIO MIRACLE

ENDLESS







SHELLY BLANDFORD

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SHELLY BLANDFORD

SHELLY BLANDFORD



ENDLESS





SPLINTER WHITE

RANDOM FACE : **4**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SPLINTER WHITE

SPLINTER WHITE

SPLINTER WHITE

ENDLESS



SPRING VALLEY

RANDOM FACE : **4**

ENDLESS

SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SPRING VALLEY

SPRING VALLEY

SPRING VALLEY

ENDLESS

SYNESTESIA WHITE

RANDOM FACE : **4**

ENDLESS









SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

SYNESTESIA WHITE

SYNESTESIA WHITE

SYNESTESIA WHITE

ENDLESS

TUNISIA GOLD

RANDOM FACE : **3**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

TUNISIA GOLD

TUNISIA GOLD

TUNISIA GOLD



ENDLESS



VOLKAS WHITE

RANDOM FACE : **3**

ENDLESS



SIZE : **600X1200 MM**
FINISH : **MATT**
EFFECT : **CARVING**

VOLKAS WHITE

VOLKAS WHITE

VOLKAS WHITE

TECHNICAL SPECIFICATION GSVT

TEST DISCRIPTION	STANDARD AS PER IOS-13006/EN177 GROUP BIB	MEAN VALUE OF GSVT
Deviation in length & width	±0.6 %	±0.3 %
Deviation in thickness	±5.0 %	±4.0 %
Straightness in side	±0.5 %	±0.1 %
Rectangularity	±0.5 %	±0.1 %
Surface flatness	±0.5 %	±0.2 %
Color difference	Unaltered	No change
Glossiness	As per mfg.	10-40 (As per surface)
Water absorption	≤ 3 %	≤ 3 %
Modulus of rupture	Min. 35 N/mm^2	Min. 35 N/mm^2
Impact resistance	As per mfg.	Min. 0.55 Porcelain
Surface abrasion resistance	As per mfg.	PEI II-V
MOH's hardness	As per mfg.	Min. 7
Frost resistance	No damage	No damage
Thermal shock resistance	No damage	No damage
Moisture expansion	Nil	Nil
Chemical resistance	No damage	No damage
Stain resistance	Resistant	Resistant
Crazing resistance	As per mfg.	2 Cycle

PACKING DETAIL

Size	600x1200mm
Thickness (approx.)	9.0 mm
Pieces / Box	2 pcs.
Area / Box	1.44 sq. mtr.
Wt./Box (approx.)	28 kgs.